

CLASSIC VINYL FENCE

MANUFACTURED BY NATIONAL FENCE SYSTEMS, INC.

Enhance the Beauty & Value of Your Property



800-211-2444
nationalfencesystems.com

1033 Route One
Avenel, NJ 07001

THE CLASSIC LINE

FOR OVER 40 YEARS, NATIONAL FENCE SYSTEMS HAS DELIVERED QUALITY FENCING WITH LASTING VALUE.


CLASSIC VINYL OFFERS TRADITIONAL STYLE, LOW MAINTENANCE, AND DEPENDABLE PERFORMANCE.

Classic Vinyl fencing combines timeless design with dependable performance for both residential and commercial properties. Built to offer the beauty of a traditional fence without the upkeep of wood, Classic Vinyl resists rotting, splintering, corrosion, and rust. It holds up through the seasons without losing its clean, finished look, making it a smart investment for homeowners and contractors alike. With a range of styles, heights, colors, and post cap options, this line offers lasting durability with a clean, low-maintenance finish that looks great year after year. The result is a polished, finished look that adds lasting value and curb appeal to any property.




"An object possessing timeless beauty and endurance is often referred to as *Classic*."

CLASSIC VINYL FENCE STYLES




BONNEVILLE

Picket Size:	7/8" x 6"
Picket Spacing:	N/A
Rail Size:	1 3/4" x 5 1/2"
Steel Reinforced:	Yes
Post Size/Spacing:	5" x 5" / 71" 95" O.C.
Fence Heights [ft.]:	4' 5' 6'
Colors:	White, Tan, Adobe, Mocha, Grey



BONNEVILLE SS


Picket Size:	7/8" x 6"
Picket Spacing:	N/A
Rail Size:	2" x 7"
Steel Reinforced:	No
Post Size/Spacing:	5" x 5" 95" O.C.
Fence Heights [ft.]:	4' 5' 6'
Colors:	White, Tan, Adobe, Grey



CENTURIAN


Picket Size:	7/8" x 6"
Picket Spacing:	5 1/2"
Rail Size:	3 1/4" x 3 1/4"
Steel Reinforced:	Yes
Post Size/Spacing:	5" x 5" 92 1/2" O.C.
Fence Heights [ft.]:	4' 5' 6'
Colors:	White, Tan, Adobe, Grey

CLASSIC VINYL FENCE STYLES




ELECTRA

Picket Size:	$\frac{7}{8}$ " x 6" 1" x 1"
Picket Spacing:	4" (top)
Rail Size:	T: 1½" x 5½" M/B: 1¾" x 5½"
Steel Reinforced:	Yes
Post Size/Spacing:	5" x 5" 95" O.C.
Fence Heights [ft.]:	4' 5' 6'
Colors:	White, Tan



ELECTRA SS


Picket Size:	$\frac{7}{8}$ " x 6" 1⅜" sq.
Picket Spacing:	4" (top)
Rail Size:	T: 2" x 3½" M/B: 2" x 7"
Steel Reinforced:	No
Post Size/Spacing:	5" x 5" 95" O.C.
Fence Heights [ft.]:	4' 5' 6'
Colors:	White, Tan



ELECTRA SUPREME


Picket Size:	$\frac{7}{8}$ " x 6" 1⅜" sq.
Picket Spacing:	1⅞" (top)
Rail Size:	T: 2" x 3½" M/B: 2" x 6"
Steel Reinforced:	No
Post Size/Spacing:	5" x 5" 95" O.C.
Fence Heights [ft.]:	4' 5' 6'
Colors:	White, Tan

CLASSIC VINYL FENCE STYLES




ELECTRA SUPREME SS

Picket Size:	$\frac{7}{8}$ " x 6" $1\frac{3}{8}$ " sq.
Picket Spacing:	$1\frac{1}{16}$ " (top)
Rail Size:	T: 2" x $3\frac{1}{2}$ " M/B: 2" x 7"
Steel Reinforced:	No
Post Size/Spacing:	5" x 5" 95" O.C.
Fence Heights [ft.]:	4' 5' 6'
Colors:	White, Tan



FLEETWOOD


Picket Size:	$\frac{7}{8}$ " x 6"
Picket Spacing:	N/A
Rail Size:	T: $1\frac{1}{2}$ " x $5\frac{1}{2}$ " M/B: $1\frac{3}{4}$ " x $5\frac{1}{2}$ "
Steel Reinforced:	Yes
Post Size/Spacing:	5" x 5" 95" O.C.
Fence Heights [ft.]:	4' 5' 6'
Colors:	White, Tan



FLEETWOOD SS


Picket Size:	$\frac{7}{8}$ " x 6"
Picket Spacing:	N/A
Rail Size:	T: 2" x $3\frac{1}{2}$ " M/B: 2" x 7"
Steel Reinforced:	No
Post Size/Spacing:	5" x 5" 95" O.C.
Fence Heights [ft.]:	4' 5' 6'
Colors:	White, Tan

CLASSIC VINYL FENCE STYLES




BELAIR

Picket Size:	$\frac{7}{8}$ " x 3"
Picket Spacing:	$2\frac{7}{16}$ "
Rail Size:	2" x 3½"
Steel Reinforced:	Yes
Post Size/Spacing:	5" x 5" 95½" O.C.
Fence Heights [ft.]:	3' 4'
Colors:	White, Tan



NEWPORT


Picket Size:	$\frac{7}{8}$ " x 3"
Picket Spacing:	$2\frac{7}{16}$ "
Rail Size:	2" x 3½"
Steel Reinforced:	Yes
Post Size/Spacing:	95½" O.C.
Fence Heights [ft.]:	3' 4'
Colors:	White, Tan



CUTLASS

Picket Size:	$1\frac{3}{8}$ " x $1\frac{3}{8}$ "
Picket Spacing:	$1\frac{11}{16}$ "
Rail Size:	2" x 3½" & 2" x 6"
Steel Reinforced:	No
Post Size/Spacing:	5" x 5" 96¼" O.C.
Fence Heights [ft.]:	3' 3½' 4'
Colors:	White, Tan

CLASSIC VINYL FENCE STYLES




CUTLASS SUPREME


Picket Size:	1 ³ / ₈ " x 1 ³ / ₈ "
Picket Spacing:	1 ¹ / ₁₆ "
Rail Size:	2" x 3 ¹ / ₂ " & 2" x 6"
Steel Reinforced:	No
Post Size/Spacing:	5" x 5" 96 ¹ / ₄ " O.C.
Fence Heights [ft.]:	3 ¹ / ₂ ' 4' 5'
Colors:	White, Tan

MUSTANG SERIES


Available in 2, 3, or 4 rail variations



2 RAIL



3 RAIL




4 RAIL


Picket Size:	N/A
Picket Spacing:	11" & 9"
Rail Size:	1 ¹ / ₂ " x 5 ¹ / ₂ " & 2" x 6"
Steel Reinforced:	No
Post Size/Spacing:	5" x 5" 96" O.C.
Fence Heights [ft.]:	2, 3, 4 Rails
Colors:	White, Tan

CLASSIC VINYL FENCE STYLES

with taller height variations




4' HIGH




5' & 6' HIGH

SKYLARK

Picket Size:	7/8" x 6"
Picket Spacing:	7/8"
Rail Size:	2" x 3 1/2"
Steel Reinforced:	Yes
Post Size/Spacing:	5" x 5" 96" O.C.
Fence Heights [ft.]:	4' 5' 6'
Colors:	White, Tan



4' HIGH




5' & 6' HIGH

NOVA


Picket Size:	7/8" x 6"
Picket Spacing:	7/8"
Rail Size:	2" x 3 1/2"
Steel Reinforced:	Yes
Post Size/Spacing:	5" x 5" 96" O.C.
Fence Heights [ft.]:	4' 5' 6'
Colors:	White, Tan

CLASSIC VINYL FENCE STYLES

with taller height variations




4' HIGH




5' & 6' HIGH

COUGAR

Picket Size:	$\frac{7}{8}$ " x $1\frac{1}{2}$ " $\frac{7}{8}$ " x 6"
Picket Spacing:	$2\frac{1}{4}$ "
Rail Size:	2" x $3\frac{1}{2}$ "
Steel Reinforced:	Yes
Post Size/Spacing:	5" x 5" $95\frac{1}{2}$ " O.C.
Fence Heights [ft.]:	4' 5' 6'
Colors:	White, Tan



4' HIGH



5' & 6' HIGH

GALAXY

Picket Size:	$1\frac{3}{8}$ " x $1\frac{3}{8}$ "
Picket Spacing:	$3\frac{3}{4}$ "
Rail Size:	2" x $3\frac{1}{2}$ "
Steel Reinforced:	Yes
Post Size/Spacing:	5" x 5" 95" O.C.
Fence Heights [ft.]:	4' 5' 6'
Colors:	White, Tan

CLASSIC VINYL FENCE ACCESSORIES

AVAILABLE POST CAPS




Gothic Cap
(White, Tan)



Ball Cap
(White, Tan)



Flat Cap
(White, Tan, Adobe,
Mocha, Grey)




New England Cap
(White, Tan, Adobe, Mocha,
Grey)

AVAILABLE COLORS



White



Mocha



Adobe



Tan



Light Grey



Dark Grey

Curious about two-tone styles? Inquire for available options!



CLASSIC VINYL STYLE GALLERY



CLASSIC VINYL STYLE GALLERY



CLASSIC VINYL STYLE GALLERY



CLASSIC VINYL

LIMITED LIFETIME WARRANTY

WARRANTY COVERAGE PERIOD

For residential installations, vinyl fence materials are warranted for the lifetime of the original residential purchaser. For commercial installations, vinyl fence materials are warranted for a period of thirty (30) years from the date of installation. Installation labor provided by National Fence Systems, Inc. is warranted for a period of one (1) year from the date of installation unless otherwise stated in writing. This warranty is non-transferable except where otherwise required by law.

WHAT IS COVERED

Subject to the exclusions and limitations contained herein, this warranty covers manufacturing defects in vinyl fence materials supplied by NFS, including peeling, flaking, blistering, rotting, corrosion, and other manufacturing defects under normal use and service conditions. NFS will, at its sole discretion, repair the defective product, replace the defective product, or refund the original purchase price of the defective material. Replacement products may vary in color or appearance from the original product due to weathering, age, manufacturing changes, or product discontinuation.

INSTALLATION REQUIREMENTS

This warranty applies only if the products were installed by NFS or installed in accordance with manufacturer installation instructions and accepted industry standards, the products were used under normal conditions, and the products have been reasonably maintained. Improper installation, alteration, misuse, abuse, or use of non-approved components may void this warranty.

LABOR LIMITATIONS

After expiration of the one (1) year installation labor warranty period, this warranty covers material replacement only. NFS shall not be responsible for removal costs, reinstallation costs, freight charges, loss of use, property damage, landscaping damage, permit costs, or incidental or consequential damages of any kind.

GATE DISCLAIMER

Gates are movable components subject to continual use, seasonal movement, ground movement, and thermal expansion/contraction. Periodic gate adjustments and hardware maintenance are considered normal maintenance and are not considered defects in material or workmanship. Unless otherwise stated in writing, gate adjustments after the installation warranty period are considered maintenance service work.

PURCHASER'S DUTY TO INSPECT

The purchaser must inspect the fence upon completion of installation and report any visible defects within thirty (30) days of installation. Failure to report visible defects within thirty (30) days may result in denial of warranty coverage for those conditions.

WARRANTY EXCLUSIONS

This warranty does not cover the following:

- normal weathering, fading, chalking, staining, or discoloration over time;
- thermal expansion or contraction of vinyl materials;
- bowing, movement, or distortion caused by heat buildup or reflected sunlight;
- distortion caused by grills, fire pits, glass reflections, mirrors, low-E windows, pavement heat, landscaping lighting, or other external heat sources;
- damage caused by acts of God including wind, storm, hurricane, hail, flood, lightning, earthquake, or falling objects;
- damage caused by ground movement, settling, frost, shifting soil, tree roots, or improper drainage;
- damage caused by chemicals including fertilizers, herbicides, pesticides, salt, cleaners, solvents, sunscreen, or insect repellents;
- damage caused by impact, abuse, negligence, vandalism, animals, or misuse;
- normal wear and tear;
- damage resulting from modifications or repairs performed by others;
- color variation between replacement materials and existing fence materials;
- scratches, cosmetic imperfections, or minor variations that do not affect structural performance;
- improper use of gates or gate hardware; sagging or movement resulting from gate misuse or lack of adjustment;
- damage resulting from installation onto unstable or non-code-compliant structures or surfaces;
- and use of incompatible accessories or third-party components.

WARRANTY CLAIMS

All warranty claims must be submitted in writing to National Fence Systems, Inc. together with proof of purchase, installation address, photographs of the claimed defect, and a description of the issue. NFS reserves the right to inspect the product prior to determining warranty eligibility. NFS shall have sole discretion in determining whether a condition constitutes a manufacturing defect covered under this warranty.

DISCLAIMER OF OTHER WARRANTIES

THIS LIMITED WARRANTY IS PROVIDED IN LIEU OF ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. IN NO EVENT SHALL NATIONAL FENCE SYSTEMS, INC. BE LIABLE FOR INCIDENTAL, INDIRECT, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES. NFS' maximum liability under this warranty shall not exceed the original purchase price of the defective product.

IMPORTANT NOTE

Vinyl fencing is subject to natural expansion and contraction due to temperature changes. Slight movement, bowing, or variation in appearance may occur over time and does not necessarily indicate a manufacturing defect.